ELSEVIER

International Journal of Pharmaceutics 175 (1998) 275–276

international journal of pharmaceutics

Author index

Al-Angary, A.A., see Bayomi, M.A. **175**, 1
Al-Dardiri, M.M., see Bayomi, M.A. **175**, 1
Al-Meshal, M.A., see Bayomi, M.A. **175**, 1
Aoyagi, N., see Kaniwa, N. **175**, 119

Balasubramaniam, R., P.J. Cox, C.G. Simpson, J.L. Wardell, Camphoric acid derivatives as components of glass systems: the structure of 3-methyl (1*R*,3*S*)-(+)-camphorate **175**, 25
Bárdos-Nagy, I., R. Galántai, A.D. Kaposi, J. Fidy, Difference in the transport of metal and free-base porphyrins: Steady-state and time-resolved fluorescence studies **175**, 255
Bayomi, M.A., A.A. Al-Angary, M.A. Al-Meshal, M.M. Al-Dardiri, In vivo evaluation of arteether liposomes **175**, 1
Bikane, F., see Picker, K.M. **175**, 147
Bi, M., J. Singh, Degradation of luteinizing hormone releasing hormone in buccal, liver, nasal and skin tissues **175**, 269
Bocca, C., O. Caputo, R. Cavalli, L. Gabriel, A. Miglietta, M. Rosa Gasco, Phagocytic uptake of fluorescent stealth and non-stealth solid lipid nanoparticles **175**, 185
Bonina, F., see Saija, A. **175**, 85

Caputo, O., see Bocca, C. **175**, 185
Carcano, A., see Moneghini, M. **175**, 177
Cavalli, R., see Bocca, C. **175**, 185
Chatlapalli, R., B.D. Rohera, Rheological characterization of diltiazem HCl/cellulose wet masses using a mixer torque rheometer **175**, 47
Choi, H.-K., see Shin, S.-C. **175**, 17
Choi, J.-S., see Shin, S.-C. **175**, 17
Cox, P.J., see Balasubramaniam, R. **175**, 25

Degim, Z., I.W. Kellaway, An investigation of the interfacial interaction between poly(acrylic acid) and glycoprotein **175**, 9
De Pasquale, A., see Saija, A. **175**, 85
Dettmar, P.W., see Gåserød, O. **175**, 237

El-Baseir, M.M., I.W. Kellaway, Poly(L-lactic acid) microspheres for pulmonary drug delivery: release kinetics and aerosolization studies **175**, 135

Fawaz, F., see Guyot, M. **175**, 61
Fidy, J., see Bárdos-Nagy, I. **175**, 255
Forni, F., see Scalia, S. **175**, 205
Franco, M., see Trapani, G. **175**, 195
Fujiwara, K., see Kaniwa, N. **175**, 119

Gabriel, L., see Bocca, C. **175**, 185
Galántai, R., see Bárdos-Nagy, I. **175**, 255
Gåserød, O., I.G. Jolliffe, F.C. Hampson, P.W. Dettmar, G. Skjåk-Bræk, The enhancement of the bioadhesive properties of calcium alginate gel beads by coating with chitosan **175**, 237
Giacchi, M., see Saija, A. **175**, 85
Gurny, R., see Sintzel, M.B. **175**, 165
Guyot, M., F. Fawaz, Nifedipine loaded-polymeric microspheres: preparation and physical characteristics **175**, 61

Hampson, F.C., see Gåserød, O. **175**, 237
Heller, J., see Sintzel, M.B. **175**, 165
Ho Kim, K., Y. Hwan Park, Enantioselective inclusion between terbutaline enantiomers and hydroxypropyl-β-cyclodextrin **175**, 247
Hwan Park, Y., see Ho Kim, K. **175**, 247

Ishigame, N., see Kaniwa, N. **175**, 119

Jolliffe, I.G., see Gåserød, O. **175**, 237

Kaniwa, N., N. Katori, N. Aoyagi, N. Ishigame, Y. Seta, T. Shinba, K. Fujiwara, T. Nakai, Y. Oda, S. Kojima, Collaborative study on the development of a standard for evaluation of vibration levels for dissolution apparatus **175**, 119
Kaposi, A.D., see Bárdos-Nagy, I. **175**, 255
Katori, N., see Kaniwa, N. **175**, 119
Kellaway, I.W., see Degim, Z. **175**, 9
Kellaway, I.W., see El-Baseir, M.M. **175**, 135
Kiesvaara, J., see Valjakka-Koskela, R. **175**, 225
Kim, J.-H., see Park, H.-Y. **175**, 231
Kim, W.-S., see Park, H.-Y. **175**, 231
Kirjavainen, M., see Valjakka-Koskela, R. **175**, 225
Kojima, S., see Kaniwa, N. **175**, 119

PII S0378-5173(98)00311-1

Latrofa, A., see Trapani, G. **175**, 195
Lee, M.-Y., see Oh, I. **175**, 215
Lee, Y.-B., see Oh, I. **175**, 215
Lee, Y.-B., see Shin, S.-C. **175**, 17
Lerk, C.F., see Steendam, R. **175**, 33
Liso, G., see Trapani, G. **175**, 195
Lopedota, A., see Trapani, G. **175**, 195

Maciocco, E., see Trapani, G. **175**, 195
Mäder, K., see Sintzel, M.B. **175**, 165
Miglietta, A., see Bocca, C. **175**, 185
Moneghini, M., A. Carcano, G. Zingone, B. Perissutti, Studies in dissolution enhancement of atenolol. Part I **175**, 177
Mönkkönen, J., see Valjakka-Koskela, R. **175**, 225

Nakada, Y., R. Tudomi, K. Sakurai, Y. Takahashi, Evaluation of long-circulating nanoparticles using biodegradable ABA triblock copolymers containing of poly(L-lactic acid) A-blocks attached to central poly(oxyethylene) B-blocks in vivo **175**, 109
Nakai, T., see Kaniwa, N. **175**, 119

Oda, Y., see Kaniwa, N. **175**, 119
Oh, I.-J., see Shin, S.-C. **175**, 17
Oh, I., M.-Y. Lee, Y.-B. Lee, S.-C. Shin, I. Park, Spectroscopic characterization of ibuprofen/2-hydroxypropyl-β-cyclodextrin inclusion complex **175**, 215

Panchagnula, R., see Sood, A. **175**, 95
Park, H.-Y., I.-H. Song, J.-H. Kim, W.-S. Kim, Preparation of thermally denatured albumin gel and its pH-sensitive swelling **175**, 231
Park, I., see Oh, I. **175**, 215
Perissutti, B., see Moneghini, M. **175**, 177
Picker, K.M., F. Bikane, Tablet formation and release from matrix tablets manufactured with cellulose acetate **175**, 147
Portero, A., C. Remuñán-López, J.L. Vila-Jato, Effect of chitosan and chitosan glutamate enhancing the dissolution properties of the poorly water soluble drug nifedipine **175**, 75

Remuñán-López, C., see Portero, A. **175**, 75
Rohera, B.D., see Chatlapalli, R. **175**, 47
Rosa Gasco, M., see Bocca, C. **175**, 185

Saija, A., A. Tomaino, D. Trombetta, M. Giacchi, A. De Pasquale, F. Bonina, Influence of different penetration enhancers on in vitro skin permeation and in vivo photoprotective effect of flavonoids **175**, 85
Sakurai, K., see Nakada, Y. **175**, 109
Scalia, S., S. Villani, A. Scatturin, M.A. Vandelli, F. Forni, Complexation of the sunscreen agent, butyl-methoxydibenzoylmethane, with hydroxypropyl-β-cyclodextrin. **175**, 205
Scatturin, A., see Scalia, S. **175**, 205
Schwach-Abdellaoui, K., see Sintzel, M.B. **175**, 165
Seta, Y., see Kaniwa, N. **175**, 119
Shinba, T., see Kaniwa, N. **175**, 119
Shin, S.-C., I.-J. Oh, Y.-B. Lee, H.-K. Choi, J.-S. Choi, Enhanced dissolution of furosemide by coprecipitating or cogrinding with crospovidone **175**, 17
Shin, S.-C., see Oh, I. **175**, 215
Simpson, C.G., see Balasubramaniam, R. **175**, 25
Singh, J., see Bi, M. **175**, 269
Sintzel, M.B., K. Schwach-Abdellaoui, K. Mäder, R. Stösser, J. Heller, C. Tabatabay, R. Gurny, Influence of irradiation sterilization on a semi-solid poly(ortho ester) **175**, 165
Skjåk-Bræk, G., see Gåserød, O. **175**, 237
Song, I.-H., see Park, H.-Y. **175**, 231
Sood, A., R. Panchagnula, Drug release evaluation of diltiazem CR preparations **175**, 95
Steendam, R., C.F. Lerk, Poly(DL-lactic acid) as a direct compression excipient in controlled release tablets: Part I. Compaction behaviour and release characteristics of poly(DL-lactic acid) matrix tablets **175**, 33
Stösser, R., see Sintzel, M.B. **175**, 165

Tabatabay, C., see Sintzel, M.B. **175**, 165
Takahashi, Y., see Nakada, Y. **175**, 109
Tomaino, A., see Saija, A. **175**, 85
Trapani, G., A. Latrofa, M. Franco, A. Lopedota, E. Maciocco, G. Liso, Water-soluble salts of aminoacid esters of the anaesthetic agent Propofol **175**, 195
Trombetta, D., see Saija, A. **175**, 85
Tudomi, R., see Nakada, Y. **175**, 109

Urtti, A., see Valjakka-Koskela, R. **175**, 225

Valjakka-Koskela, R., M. Kirjavainen, J. Mönkkönen, A. Urtti, J. Kiesvaara, Enhancement of percutaneous absorption of naproxen by phospholipids **175**, 225
Vandelli, M.A., see Scalia, S. **175**, 205
Vila-Jato, J.L., see Portero, A. **175**, 75
Villani, S., see Scalia, S. **175**, 205

Wardell, J.L., see Balasubramaniam, R. **175**, 25

Zingone, G., see Moneghini, M. **175**, 177